
https://www.uni-luce.ru
+39 339 505 5880
info@uni-luce.com
Via Monselice, 26, 20832 Desio MB, Italy

GUIDE RASTER 4



| | |
|---|---|
| Available colors: | ○ 1550-B4<br>○ 1550-W4<br>● 1550-GR4<br>● 1550-DGR4 |
| Beam angle: | 0° |
| LED Color: | 3000K 4000K 5000K 6000K |
| System Power: | 18*0.24W |
| Lumen output: | 521lm |
| Material: | die-casting powder coating aluminum, glass |
| Location: | Exterior |
| Fixation: | Wall |
| Installation: | Recessed |
| Product dimension: | L165 x 62 x 37mm |
| Input: | 220-240V 50/60HZ |
| IP: | 67 |
| Class: | I |
| IK: | 08 |




65
64
165

https://www.uni-luce.ru
+39 339 505 5880
info@uni-luce.com

Via Monselice, 26, 20832 Desio
MB, Italy

Our GUIDE is a very popular wall recessed fixture for guidance light in hallways and staircases, facades and pathways. Available with trim or mounted flush in the wall, perfect for usage in residential applications.The collection is enriched by the SHINE version with extrimely uniform light. In addition, PATH collection with asymetrical lens will give more lighting solutions for any project requirement