
https://www.uni-luce.ru
+39 339 505 5880
info@uni-luce.com

Via Monselice, 26, 20832 Desio
MB, Italy

NINA



Available colors:	○ 443-W8TR ● 443-B8TR ● 443-G8TR ○ 443-CD8TR ● 443-MG8TR ○ 443-BZ8TR
Beam angle:	7° 13° 50°
LED Color:	2700K 3000K 4000K
LED power:	6,5W
System Power:	8W
CRI:	90
Lumen output:	754lm
Location:	Interior
Fixation:	Ceiling
Installation:	Recessed
Product dimension:	28x600mm
Cut hole size:	105mm
Input:	220-240V 50\60Hz
IP:	20
Class:	III
DIM Option:	ON/OFF DALI TRIAC



105(Cut out)



https://www.uni-luce.ru
+39 339 505 5880
info@uni-luce.com

Via Monselice, 26, 20832 Desio
MB, Italy

Minimalism, functionality and versatility are the key terms to describe this NINA collection. The NINA was designed to meet multiple lighting requirements, an ideal solution for accent lighting in residential or commercial spaces. The rotating function of the lamp is allowing the user to move the luminaire in a very dynamic and fluid way, with no sight into the ceiling regardless of position. The length of the tube can be adjusted in accordance with the project needs, the lamp can be rotated up to 350° around the room.